# Cell Phone Lockers

continued on pages 104 -105


## **CELL PHONE LOCKERS**

Made entirely of aluminum, Salsbury 19100 series cell phone lockers with front access panels are ideal for use in health clubs, government facilities, office buildings, schools and other settings where small personal items need to be stored safely and securely. Cell phone lockers can be surface mounted or recessed mounted and accommodate cell phones, tablet PC's, wallets, cameras, keys and other small valuable items. Cell phone lockers feature a durable powder coated finish available in three (3) contemporary colors and six (6) door configurations with standard A doors (6-1/2" W x 5-1/4" H) and larger B doors (13" W x 5-1/4" H). Cell phone locker compartments are 8" deep and feature master keyed locks or resettable combination locks. Master keyed locks include three (3) keys and allow access to all compartments with a master control key (#19991). Resettable combination locks can be set to a fixed combination or a combination that can be reset after each use. Each cell phone locker door includes a 2" W x 5/8" H clear plastic cardholder (card included) to identify the compartment. Custom engraved placards (#19967) and custom door engraving (#19968 - regular and #19962 - black filled) are available as options upon request. See cell phone locker options and locks on page 105.

### **CELL PHONE LOCKER SAMPLE INSTALLATIONS**


SURFACE MOUNTED Model displayed:

(1) 19158-25



Surface mounted units mount directly to a flat surface and are secured with mounting hardware (not included) through the back panel.

#### RECESSED MOUNTED Model displayed: (1) 19158-25



Recessed mounted units fit into a rough opening and are secured with mounting hardware (not included) through the back or side panels. Recessed mounted units feature a fully integrated flanged collar which fits over the rough opening.

Note: The rough opening for recessed mounted cell phone lockers is 2-1/4" less than the surface mounted unit's width, 2-1/4" less than the unit's height and equal to the unit's depth.



# Ideal for:

• Health Clubs



- Military Bases
- Office Buildings
- Schools and Universities
- Employee Breakrooms
- High Security Locations
- Government Facilities

CUSTOM CELL PHONE LOCKERS see pages 104-105

- Larger Door Sizes Available
- Custom Configurations
- Alternate Locking Systems
- Multiple Depths Available



#### DESCRIPTION

19158-09<sup>1,2,3</sup> Cell Phone Locker 8 "A" Doors (7 usable), 1 "B" Door

UNIT SIZE 17-1/2" W x 31" H x 9-1/4" D\*

"A" door size: 6-1/2" W x 5-1/4" H "B" door size:

13" W x 5-1/4" H

WEIGHT 50 lbs.

> **KEYED LOCKS** \$445.00

COMBO LOCKS \$545.00



19158-09

Surface mounted unit with resettable combination locks displayed

0-

.

.

0

#### DESCRIPTION

19158-15<sup>1,2,3</sup> **Cell Phone Locker** 15 "A" Doors (14 usable)

**UNIT SIZE** 24" W x 31" H x 9-1/4" D\* "A" door size: 6-1/2" W x 5-1/4" H

WEIGHT 60 lbs.

> **KEYED LOCKS** \$680.00

DESCRIPTION

Cell Phone Locker

12 "A" Doors (11 usable), 4 "B" Doors

19158-16<sup>1,2,3</sup>

**COMBO LOCKS** \$845.00



19158-15

Surface mounted unit with master keyed locks displayed

0.01

om

4

HE

0

otil

#### DESCRIPTION

19158-10<sup>1,2,3</sup> Cell Phone Locker 10 "B" Doors (9 usable)

**UNIT SIZE** 30-1/2" W x 31" H x 9-1/4" D\* "B" door size: 13" W x 5-1/4" H

WEIGHT 60 lbs.

> **KEYED LOCKS** \$735.00

**COMBO LOCKS** \$845.00

19158-10 Surface mounted unit with master keyed locks displayed

UNIT SIZE 30-1/2" W x 31" H x 9-1/4" D\* "A" door size: 6-1/2" W x 5-1/4" H "B" door size: 13" W x 5-1/4" H

> WEIGHT 70 lbs.

> > **KEYED LOCKS** \$835.00

DESCRIPTION

Cell Phone Locker

25 "A" Doors (24 usable)

19158-25<sup>1,2,3</sup>

UNIT SIZE

"A" door size:

WEIGHT

80 lbs.

6-1/2" W x 5-1/4" H

**KEYED LOCKS** 

\$1.115.00

**COMBO LOCKS** \$1 010 00

**COMBO LOCKS** 

\$1.390.00

Surface mounted unit with resettable combination locks displayed

00111

011

19158-16

#### DESCRIPTION

19158-20<sup>1,2,3</sup> **Cell Phone Locker** 20 "A" Doors (19 usable)

**UNIT SIZE** 30-1/2" W x 31" H x 9-1/4" D\* "A" door size. 6-1/2" W x 5-1/4" H

WEIGHT 75 lbs.

\$900.00

<sup>1</sup> Specify



\* Recessed mounted units are 8-3/4" D



19158-20 Surface mounted unit with resettable combination locks displayed

sandstone



Surface mounted unit with master keyed locks displayed

Note: The front access panel swings on a continuous hinge. One compartment is required for a panel lock (included) and cannot be used for cell phone storage. For multiple unit installations, all front access panel locks are keyed alike.

see cell phone locker enclosures and options on page 105

# Custom Cell Phone Lockers

## CUSTOM CELL PHONE LOCKERS

Made entirely of aluminum, Salsbury 19800 custom cell phone lockers are available in four (4) different locker door sizes and feature a durable powder coated finish. Each aluminum door includes a five (5) pin cylinder cam lock with three (3) keys or a built-in resettable combination lock and a 2" W x 5/8" H clear plastic card holder (card included) to identify the name and/or compartment number. Cell phone lockers are ideal for use in health clubs, government facilities, office buildings, schools and other settings where small personal items need to be stored safely and securely.

### With Front Access:

Door panel swings on a continuous hinge. One door opening ("A" and "B" doors only) is required for a master lock and cannot be used for cell phone storage.


### Without Front Access:


All openings are usable.

## DESIGN ASSISTANCE AVAILABLE

Our design engineers are available to architects, specification writers and individuals involved in designing facilities for cell phone lockers. Our cell phone lockers can be custom manufactured for colleges and schools, country clubs, fitness centers, spas and recreational facilities.







# ORDERING CUSTOM CELL PHONE LOCKERS (Note:

## (Note: Minimum order of ten (10) units)

- Determine the number of openings desired using "A", "B", "C", and "D" cell phone locker doors.
- Configure your requirements to fit a minimum of 2 wide x 3 high standard A doors to a maximum of 5 wide x 7 high standard A doors.
- 3) Contact us for rough opening dimensions or layout specifications.

## CUSTOM CELL PHONE LOCKERS

MODEL	DESCRIPTION	DOOR SIZE	PRICE (keyed)	PRICE (resettable)
19800A <sup>1,2,3,4,5</sup>	A Door	6-1/2" W x 5-1/4" H	\$70.00	\$85.00
19800B <sup>1,2,3,4,5</sup>	B Door	13" W x 5-1/4" H	\$90.00	\$105.00
19800C <sup>1,2,3,4,5</sup>	C Door	6-1/2" W x 10-3/4" H	\$90.00	\$105.00
19800D <sup>1,2,3,4,5</sup>	D Door	13" W x 10-3/4" H	\$120.00	\$135.00


Note: The price of custom cell phone lockers is the total of each cell phone locker door within a unit. Allow approximately 2-3 weeks production time for custom cell phone lockers. For faster service, see pages 102-103 for standard cell phone lockers.

<sup>1</sup> Specify								
	aluminum	bronze	sandstone					
<sup>2</sup> Specify - surface or recesssed mounted								
<sup>3</sup> Specify	- master keyed loo	master keyed locks or resettable combination locks						
<sup>4</sup> Specify	- with or withou	with or without front access panel						

<sup>5</sup> Specify - 5" or 8" deep compartments

# **Cell Phone Locker Options & Locks**

MASTER KEYED LOCK



# **CELL PHONE LOCKER ENCLOSURES - FREE-STANDING**

STANDARD FEATURES

MODEL	DESCRIPTION		UNIT SIZE	WEIGHT	PRICE			
FOR REC	ESSED MOUNTED CELL	PHONE LOCKERS	5					
19953 <sup>1</sup>	Free-Standing enclosure for #19158-15		24" W x 61" H x 9-1/4" D	70 lbs.	\$675.00			
19954 <sup>1</sup>	Free-Standing enclosure for #19158-10, #19158-16 and #19158-20		30-1/2" W x 61" H x 9-1/4"	D 75 lbs.	\$725.00			
$19955^{1}$	Free-Standing enclosure	for #19158-25	37" W x 61" H x 9-1/4" D	80 lbs.	\$775.00			
	9953	19954		19955				
Convenient when wall mounted applications are unavailable								
			i applications ale u					
<sup>1</sup> Specify				1	ET			

bronze

aluminum

sandstone

TO IT 10.44 011 0....

#19955 free-standing cell phone locker enclosure with recessed mounted cell phone lockers (#19158-25 - see page 103)



Note: It is recommended that all free-standing enclosures be wall and/or floor anchored.